



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

verlock, entomologist, and Mr. Jollyman, bacteriologist.

It is stated in *Nature* that at a recent general meeting of the Liverpool Astronomical Society it was resolved to raise a special fund for the purpose of a memorial to the late Mr. R. C. Johnson, whose long connection with the society, in which he filled the positions of secretary and president, and his services in the interests of astronomical science, suggest that some permanent recognition of his work should be made.

A MEMORIAL in marble to the late Sir John Evans, the anthropologist, has been placed in the parish church of Abbot's Langley, Herts, where he lived for sixty years.

ACCORDING to information received from Timbuctoo the remains of Alexander Gordon Laing, the African traveler, who was murdered in 1826 while exploring the course of the Niger, have been discovered at Saebb, some 50 kilometers north of Timbuctoo. The discovery was made by M. Bonnel de Mézières, who had been commissioned by the governor of the French Upper Senegal and Niger Colony to proceed to Taudeni, some 300 miles north of Timbuctoo, in order to examine the salt mines of the district.

PROFESSOR L. P. KINNICUTT, director of the department of chemistry in the Worcester Polytechnic Institute, well-known for his important contributions to sanitary chemistry and sewage disposal, died on February 6, aged fifty-six years.

DR. EDWARD GAMELIEL JANEWAY, professor of medicine and dean of the University and Bellevue Hospital Medical College, one of the leading physicians of the country, died on February 10, aged sixty-nine years.

DR. WILLIBALD A. NAGEL, professor of physiology at Rostock, has died at the age of forty years.

M. E. A. LÉVEILLÉ, the French entomologist, has died at the age of seventy years.

PROFESSOR EDUARD HAGENBACH-BISCHOFF, formerly professor of physics at Bâle, has died at the age of seventy-eight years.

FOREIGN exchanges announce the deaths of three astronomers: M. Gustav Leveau, known

for his work in celestial mechanics and for more than fifty years an officer of the Paris Observatory; M. Rozé, astronomical lecturer at the École Polytechnique, Paris, and Dr. F. W. Hermann Leppig, astronomer in the Leipzig Observatory.

THE Wabash College Botanical Society will this year send a representative to the Woods Hole Biological Laboratory to occupy a table which they will support.

#### UNIVERSITY AND EDUCATIONAL NEWS

DR. and MRS. ROBERT W. LONG, of Indianapolis, have given \$200,000 in real estate to the medical department of Indiana State University.

By the will of Mrs. Emily H. Moir, of New York City, Barnard College received \$10,000. Harvard University, Princeton University, Lincoln University and Howard University receive shares of the residuary estate.

ILLINOIS COLLEGE, at Jacksonville, Ill., received recently \$5,000 from Mr. Edward F. Goltra, of St. Louis. This contribution is towards a new endowment of \$150,000 which the college is raising. Mr. Andrew Carnegie has contributed one half of the amount; friends and alumni have thus far contributed about \$65,000.

PLANS have been proposed to unite the University of Pennsylvania with the Pennsylvania State College and to make the relations between the university and the state more intimate.

THE sum of £25,000 required for the purchase of the site for new chemical laboratories at University College, London, has been completed by a gift of £4,500 from Mr. Ralph C. Forster. The total sum required for the purchase of the site and the erection of the laboratories was £70,000.

DR. C. H. NEILSON, professor of physiological chemistry in St. Louis University School of Medicine has been made professor of medicine and director of the department. The chair in medicine has been put on a salary basis. Dr. Neilson is an A.B. from Ohio Wes-

leyan University, received his Ph.D. in physiology at Chicago in 1902 and his M.D. from Rush Medical College in 1905. Before going to St. Louis he was instructor in physiology in the University of Chicago, and at the Marine Biological Laboratory at Woods Hole.

MRS. MARGRETE BOSE has been appointed professor of chemistry in the University of La Plata. Her husband, Dr. E. Bose, is professor of physics in the university.

MR. JAMES LEES, of the University of Bristol, has been appointed lecturer in engineering in the South African College, Cape Town.

DR. FRANZ HOFMANN, professor of physiology at Innsbruck, has been called to the German University of Prague to succeed Professor Gad.

#### DISCUSSION AND CORRESPONDENCE

##### LABORATORY TABLES

TO THE EDITOR OF SCIENCE: Several months ago I read with interest in SCIENCE Professor Augustus H. Gill's suggestions for chemical laboratory furniture and fittings. Among other things he discusses various kinds of materials and surfaces for table tops. It occurs to me that it may be of sufficient interest to warrant calling attention to still another kind of surface for laboratory tables.

In our testing laboratory at The York Manufacturing Company we have tables with tops of ordinary wood. On this there are placed sheets or slabs of heavy asbestos board, one fourth inch thick. These are fastened in place by a few small brads driven around the edge. All around the outer edge of the table there is a narrow strip of wood of the same thickness as the asbestos board, making a permanent border. This, as a matter of course, is nailed in place. It prevents the edges of the asbestos from becoming frayed out. The advantages of this asbestos surface are almost self evident. Flasks and beakers containing hot water or solutions can be stood upon it without fear of their cracking. There is also little risk of breaking glassware by setting it down a little too hard, as is often the case on slate or stone or even wood,

where particles of grit may happen to be. And of course the resistance of the asbestos to fire and heat is too well known to need any comment. There is the further advantage that when the asbestos slab becomes old and worn it is easily replaced without in any way disturbing the table, thus making the latter practically new.

We have found this plan highly satisfactory and pass on the suggestion for any who may desire to try it. It is quite possible that it is an old device after all.

C. H. EHRENFELD

YORK, PA.

##### A FORMULA FOR OPTICAL INSTRUMENTS

IN many surveying and optical instruments a ray of light is reflected by a pair of plane mirrors. And if  $\phi$  be the angle between said mirrors; and the entering light ray lies in the plane commonly perpendicular to them; then, of course, the doubly reflected ray must cross its original path at the angle  $2\phi$ . And, although the ray sway from side to side; so long as it preserves its parallel position to this commonly perpendicular plane; so long also is the crossing angle still  $2\phi$ .

But now, should the entering ray be deflected at a variable angle  $\theta$  to this commonly perpendicular plane, then the question arises as to the resultant effect upon the crossing angle, a problem that constantly arises in practise, and yet one, I believe, that the textbooks leave unanswered.

The single solution is as follows: letting  $\phi$  be the angle between the two mirrors, and  $\theta$  be the independent variable angle that the entering light ray makes with the plane commonly perpendicular to the said mirrors, while  $\delta$  is the crossing angle desired. Then,

$$(\cos \theta) (\sin \phi) = \sin \frac{1}{2}\delta,$$

a very simple formula, that can be easily demonstrated by elementary trigonometry.

In the special cases where the entering ray is normally inclined to the commonly perpendicular plane, and it be asked what errors may be produced by changes in the direction of that ray? we should simply determine, first, the angle  $\phi$  between the two mirrors, and